

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Bluesky Business GmbH
An der Strusbek 37
22926 Ahrensburg

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules



Valid from: 2023-07-24

Valid until: 2026-04-13

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC / EN 61215-1:2016; IEC / EN 61215-1-1:2016; IEC 61215-2:2016 / EN 61215-2:2017 + AC:2017 + AC:2018; IEC 61730-1:2016 / EN IEC 61730-1:2018 + AC:2018; IEC 61730-2:2016 / EN IEC 61730-2:2018 + AC:2018.
Registered No.:	44 780 23 406749 - 221
Manufacturer:	see Annex 1
Test Report No.:	492012575.001
File No.:	PVP07047/23P-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2023-07-24

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / *Annex 1 to Certificate No.:* **44 780 23 406749 - 221**

Seite / Page **1 von / of 1**

Aktenzeichen: / *File reference:* **PVP07047/23P-01**

2023-07-24

Manufacturer:

Manufacturer: **Coded by debtor no. 55525448**

Factory inspection report no.: **862010428.004**

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.

A handwritten signature in blue ink, appearing to read "Rogner".

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:	PV Modules with 7" Half-cut Mono-crystalline Silicon Solar Cells: 144 cells: BLP7F72M-xxxW (xxx=525-550, in increment of 5) 132 cells: BLP7F66M-xxxW (xxx=480-505, in increment of 5) 120 cells: BLP7F60M-xxxW (xxx=440-460, in increment of 5) 108 cells: BLP7F54M-xxxW (xxx=395-410, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	1600Pa / 1600Pa or 3600Pa / 1600Pa, refer CDF for details
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Module types:	PV Modules with 6" Half-cut Mono-crystalline Silicon Solar Cells: 144 cells: BLP6F72M-xxxW (xxx=430-460, in increment of 5) 132 cells: BLP6F66M-xxxW (xxx=395-420, in increment of 5) 120 cells: BLP6F60M-xxxW (xxx=360-380, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	1600Pa / 1600Pa or 3600Pa / 1600Pa, refer CDF for details
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products